

Factory Add: Taiwanese Investment Park, Quanzhou, Fujian Province, China. Web Site: www.socmachinery.com

Froklift 18 ton capacity HNF180

with cushion tire,

internal combustion diesel engine



Model	HNF180				
Performance	Load capacity				18000kg
	Load center				900mm
	Maximum fork height (h4)				3500mm
	Lifting speed(wz/wo load)				250/260 mm/s
	Mast tilt angle (forward/backward)				6/12 °
	Max. Travel speed (full load/without load)				26/30 km/h
	Turning radius(outside)				5800 mm
	Grade ability (wz/wo load)				20/21 %
Dimension	Overall length (wz/wo fork)				7640/5840 mm
	Fork size (L*W*T)				1800*220*100 mm
	Overall width				2750mm
	Width of fork carriage				2750mm
	Overall height			mast lowed	3625mm
				overhead guard	3510mm
	Wheelbase				3800mm
	C	1	wheelbase center		325mm
	Ground cles	arance (wz loa	mast lowered point		265mm
Weight	Total weight				255000kg
Tire	numbers & size Front				4*12.00-24/18PR
	numbers & size Rear				2*12.00-20/18PR
	Wheel tread		Front		2060mm
			Rear		2330mm
Brake	Service Foot Pad				
	Parking		Hand/ Mechanical		
	Number of speed 2/1				
Engine Diesel	Option 1.	Manufacturer/Model		Indal	YUCHAI
				louei	/YC6J175-T302
		Rated power/rotate speed			129kw/2200rpm
	Option 2.	Manufacturer/Model		Iodel	CUMMINS
					QSB6.7-C190
		Rated power/rotate speed 1			142kw/2200r.p.m



IC Forklift HNF180

Features:

- 1. Compact body structure, Optimized mast design, with wide view: Optimized mast with small clearance, compact structure, which provide wide front view for the operator. It is good for safe-working improvement and the increasing of the work efficiency.
- 2. Well organized engine water & air cooling system maintain temperature—the engine stable at around 90°C, keep transmission oil temperature below 40°C, thus prolong lifespan—of oil seal ,reduce risk of oil-leakage, water-leakage or moving part wearing in engine, transmission box.
- 3. Low maintenance cost that benefit ROI



